

Cambridge IGCSE™

CHEMISTRY**0620/51**

Paper 5 Practical Test

May/June 2026

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme contains the instructions and marking guidance that our examiners used to mark candidate responses for this component.

Before they start marking, examiners complete a standardisation process. They review a range of candidate responses and discuss the mark scheme in detail to agree which answers can and cannot be accepted. Examiners award marks where it is clear that candidate responses have met the requirements of the mark scheme. These requirements may vary between different components or different versions of the same component, depending on the exact requirements of the question and the candidate responses seen during the standardisation process.

Sometimes, our mark schemes may allow marks to be awarded to responses which contain elements that are factually incorrect or for content not covered by the syllabus. We do this in response to the demands of a specific question to support candidates and make sure that our assessments are fair. However, these allowances should not be used as a guide for teaching and learning.

We cannot discuss the mark scheme with schools, and we recommend that schools read the mark scheme together with the assessment material and the Principal Examiner Report for Teachers.

This document consists of **14** printed pages.

General marking principles

All examiners must apply these marking principles when marking candidate responses.

1	Examiners must award marks for each response in line with: - the specific content defined in the mark scheme - the specific skills defined in the mark scheme or in the level descriptions - the standard of response required as exemplified by the standardisation scripts.
2	Examiners must award whole marks (not half marks, or other fractions).
3	Examiners must award marks positively . This means that: - marks are not deducted for errors or omissions - marks are awarded for correct/valid answers as defined in the mark scheme and also for other valid answers which go beyond the scope of the syllabus and mark scheme referring to your team leader as appropriate - the quality of spelling, punctuation and grammar are judged only when the mark scheme indicates that these features are specifically assessed in the question. However, the meaning of all responses must be unambiguous.
4	Examiners must consistently apply the requirements of the mark scheme and any rules for what to do when candidates have not followed instructions correctly.
5	Examiners must use the full range of marks defined in the mark scheme, unless limited by the quality of the candidate responses seen.
6	Examiners must award marks according to the mark scheme and must not award marks with grade thresholds or grade descriptions in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<u>'List rule' guidance</u> For questions that require <i>n</i> responses (e.g. State two reasons ...): - The response should be read as continuous prose, even when numbered answer spaces are provided. - Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>. - Incorrect responses should not be awarded credit but will still count towards <i>n</i>. - Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. - Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	information missing or insufficient for credit
BOD	benefit of doubt given
CON	contradiction in response, mark not awarded
	incorrect point or mark not awarded
ECF	error carried forward applied
I	incorrect or insufficient response, mark not awarded
NBOD	benefit of doubt was considered, but the response was decided to not be sufficiently close for benefit of doubt to be applied
R	incorrect point or mark not awarded
SEEN	blank page seen
	correct point of mark awarded

Mark Scheme Abbreviations – may be used in the mark scheme that follows	
;	separates marking points
/	alternative responses for the same marking point
R	reject the response
A	allow/accept the response
I	ignore the response
CON	contradiction in response, no mark
ecf	error carried forward
ora	or reverse argument
AW	alternative wording
<u>underline</u> or bold	actual word given must be used by candidate (grammatical variants excepted)
()	the word / phrase in brackets is not required but sets the context
max	indicates the maximum number of marks that can be given
MP / M	marking point

Question	Answer	Marks	Guidance
1(a)	M1 all four volumes of distilled water correct (1.0, 2.0, 4.0, 6.0, 8.0)	1	Ignore missing trailing zeros
1(a)(i)	M2 all temperatures and temperature decreases recorded to the nearest 0.5 °C and water volumes recorded to 1 dp.	1	Reject any value to 0 dp.
1(a)(ii)	M3 all five temperature decreases calculated correctly	1	Ignore missing trailing zeros. Ignore incorrect signs
1(a)(iii)	M4 temperature decreases become smaller as table descended	1	Allow two consecutive temperatures to be the same
1(a)(iv)	M5 temperature decrease in Experiment 5 is half of Experiment 1	1	Allow ± 3 °C
1(b)	M1 y-axis scale in linear and points take up over half available space on y-axis	1	
1(b)(i)	M2 and M3 All points plotted correctly	2	All five correct scores 2, any four correct scores 1. If scale non-linear then no marks awarded for plotting of points in non-linear section. Half small square tolerance.
1(b)(ii)	M4 best fit line	1	Reject multiple lines (line with ANY white visible in middle of it), dot to dot curves, excessively wobbly/thick lines and sigmoidal sections.

PUBLISHED

Question	Answer	Marks	Guidance
1(c)	Endothermic and (because) temperature decreases / gets cooler	1	Allow ecf from table Allow temperature decreases are positive Allow temperature of surroundings Reject temperature changes are positive Ignore comments about heat lost / gained (from surroundings) – the answer must use the data in Table 2.1 which shows a temperature decrease. Ignore comments on trends in temperature decrease. So 'endothermic because the temperature decrease decreases as the volume gets larger' scores the mark as it is endothermic and there is a temperature decrease
1(d)	M1 working shown on graph – construction line up from 5.5 to line and horizontal to y-axis	1	minimum is a mark on the line or marks on BOTH axes. The construction line from 5.5 need to be in the correct place ($\pm$ half small square) where it meets the graph line.
1(d)(i)	M2 correct value from their graph	1	half small square tolerance from correct value from graph. Allow ecf from incorrect volume on graph line but no ecf if working to random point on grid and not on the line. Do not award M2 for reading in non-linear section of a non-linear scale.

PUBLISHED

Question	Answer	Marks	Guidance
1(e)	As volume of distilled water increases the temperature decrease becomes less	1	Allow ecf from Table 1.1 Allow 'change' for 'decrease' Allow inversely proportional / inverse relationship The relationship can be stated either way around (so Allow as temperature decrease decreases the volume increases) Ignore 'as the volume increases the temperature decreases' Ignore negative relationship / correlation Ignore relationships with the rate of temperature change – the time was not measured Ignore any attempted explanations Reject as volume of water increases temperature increases / (directly) proportional
1(f)	M1 (cotton wool is an) insulator	1	Allow poor (heat) conductor
1(f)(i)	M2 prevents / reduces heat gain (from surroundings)	1	Allow reduces heat loss / less heat given off / no heat loss / traps heat Allow (thermal) energy in place of heat Ignore temperature loss / gain Ignore prevents temperature changing / keeps temperature constant Ignore comments about gas loss or splashing
1(f)(ii)	keeps the mixture at room temperature / (there would be) no temperature change / prevents / reduces temperature decrease	1	Allow prevents / reduces temperature change Allow idea of not wanting a fixed / constant temperature Allow mixture gains energy from water bath / surroundings Ignore changes temperature / difficult to measure temperature Reject increases the temperature

Question	Answer	Marks	Guidance
1(g)	(the 10 cm ³ measuring cylinder is) more accurate	1	Allow opposite argument Allow accuracy alone Allow (more) accurate results Allow precision / precise / exact for accuracy Ignore comments on speed / time / reliability Ignore maximum volume is less than 10
1(h)	sketch line is below plotted line and lines do not meet	1	Allow any shape line No minimum range required

Question	Answer	Marks	Guidance
2(a)	M1 green precipitate	1	Allow ppt / ppte Ignore solid soluble green ppt scores M1 but Reject for M2
2(a)(i)	M2 (precipitate) remains / does not dissolve / insoluble / green precipitate in excess	1	insoluble green ppt' scores M1 and M2 as long as not contradicted elsewhere Allow no change as long as suggestion of precipitate / solid in the first place Ignore turning brown Reject any additional incorrect observation
2(a)(ii)	M1 brown	1	Allow orange, orange-brown or red-brown as the colour Ignore red alone as the colour Ignore state
2(a)(iii)	M2 effervescence / fizzing / bubbles	1	Ignore gas made

PUBLISHED

Question	Answer	Marks	Guidance
2(a)(iv)	M3 glowing splint relights	1	Ignore damp red litmus turns blue Reject any other positive gas tests
2(b)	white precipitate	1	Allow ppt / ppte Ignore solid Reject additional incorrect observations
2(c)	M1 iron (II) / Fe^{2+}	1	the name takes precedence over any formula but 'iron sulfate' with ' FeSO_4 ' together will score both marks oxidation state required, Ignore 'iron' with no oxidation state
2(c)(i)	M2 sulfate / SO_4^{2-}	1	Allow Fe (II) SO_4 or FeSO_4 as correct formula for 2 marks [1] incorrect formula but containing at least one correct ion e.g. FeCl = [1] e.g. LiSO_4 = [1] e.g. Fe_2SO_4 = [1] [0] Fe (not part of a formula) SO_4 (not part of a formula) Reject any additional incorrect ions Ignore aqueous
2(d)	M1 white precipitate	1	Allow ppt / ppte Ignore solid soluble white ppt scores M1 but Reject for M2

Question	Answer	Marks	Guidance
2(d)(i)	M2 (precipitate) remains / does not dissolve / insoluble / white precipitate in excess	1	'insoluble white ppt' scores M1 and M2 as long as not contradicted elsewhere Allow no change as long as suggestion of precipitate / solid in the first place Reject any incorrect observation
2(e)	M1 white precipitate	1	Allow ppt / ppte Ignore solid Ignore 'soluble' before precipitate for M1
2(e)(i)	M2 dissolves / disappears / colourless solution	1	to score M2 there must be some indication of a solid having formed (such as ppt, cloudy etc.) Allow 'soluble white ppt' for M1 and M2 Reject any additional incorrect observations
2(e)(ii)	M1 fizzing / bubbles / effervescence	1	Allow reference to pungent / strong / sharp smell for M1
2(e)(iii)	M2 (damp) red litmus turns blue	1	Ignore positive hydrogen test Reject any other positive gas test
2(f)	M1 aluminium / Al^{3+}	1	the name takes precedence over an incorrect formula
2(f)(i)	M2 nitrate / NO_3^-	1	[1] incorrect formula but containing at least one correct ion e.g. $AlCl$ = [1] e.g. $LiNO_3$ = [1] e.g. $AlNO_3$ = [1] [0] Al (not part of a formula) NO_3 (not part of a formula) Reject any incorrect ions

PUBLISHED

Question	Answer	Marks	Guidance
3	any 6 from	6	Ignore control with no oil / paint
	MP1 known / stated / measured / same mass of nails		Ignore additional steps such as cleaning the nails or additional experiments such as those used to find conditions required for rusting.
	max 6		Allow known / stated / same number / same amount of nails / 'a nail' as that suggests using 1 nail.
			Ignore volume of nails
			Reject nails that are already rusty
	MP2 (oiled / painted) nails placed in water in a suitable container		Allow flask / test-tube / boiling tube / beaker / evaporating basin
			Allow 'expose the nails to water and oxygen' in a suitable container
			Ignore how much water is used / 'leave nails outside'
			Ignore addition of things such as salt or acid or alkali to the water.
	MP3 leave for a stated suitable length of time		Reject addition of oil or paint to the water or adding water to a beaker containing oil or paint / placing a bung in the tube / sealing the tube.
	MP4 filter (out the rust / hydrated iron (III) oxide)		any time $\geq$ 1 hour
			Allow statements such as 'a few days'
	MP5 dry the rust / hydrated iron (III) oxide / residue		Allow filter out nails
	MP6 find / measure mass of rust		If method based on change in mass of nail then: Allow dry the nails for MP5
			Allow find / measure mass of nails for MP6

PUBLISHED

Question	Answer	Marks	Guidance
3	MP7 biggest mass of rust shows coating slows down rusting least / biggest mass shows most rust(ing) / least mass of rust shows slows rusting the most / least mass of rust shows least rusting / least mass of rust shows best coating		Use of mass in MP7 (even if incorrectly used to find a mass increase) subsumes MP6 and so MP6 is awarded) Allow Least rust means rusted slowest (no mass so no MP6) Allow biggest mass of nails has rusted least / smallest mass of nail has rusted most / biggest change in mass of nails means rusted most If candidates think mass of nails increases (question states rust drops off) then MP7 cannot be awarded Some candidates are timing to see when rust starts rather than use a fixed time. This is impractical as you could sit watching the nail for days. Max 5 marks: MP1 as above method MP2 as above method MP3 observe until rust forms / rust falls from nail / orange or brown colour seen MP4 record / measure time (requires an appropriate observation in MP3) So time until rust forms scores MP3 and MP4) MP5 shorter time rusts fastest / shorter time is worse coating Max 5